

Unmodified* Cars without factory fitted OEM four-wheel disc brakes and/or OEM driver's airbag **10.500 seconds (1/4 mile) / 6.688 seconds (1/8 mile)** and slower.

Unmodified* Modern Cars with factory fitted OEM four-wheel disc brakes and OEM driver's airbag **10.000 seconds (1/4 mile) / 6.369 seconds (1/8 mile)** and slower.

All Modified Cars, both **with** or **without** factory fitted OEM four-wheel disc brakes and/or OEM driver's airbag, **12.000 seconds (1/4 mile) / 7.643 seconds (1/8 mile)** and slower.

Vehicle Technical Requirements	Personal Protective Equipment
<p>Technical Inspection & Vehicle Logbook: Not Required.</p> <p>Rollcage: Not Required.</p> <p>Seatbelt / Harness: Required. Quick Release lap sash 3-point to AS E35, AS/NZS 2596 or ECE R16 as a minimum for Unmodified Cars and Modified Cars 12.000 seconds (1/4 mile) / 7.643 seconds (1/8 mile) and 109.99 mph or slower. Unmodified Modern Cars 10.000 seconds (1/4 mile) / 6.369 seconds (1/8 mile) and 134.99 mph or slower.</p> <p>4-point to AS E35, AS/NZS 2596, ECE R16, FIA 8854/98, SFI 16.1 or FIA 8853 as a minimum for Unmodified Cars and Modified Cars 11.999 seconds (1/4 mile) / 7.642 seconds (1/8 mile) or quicker and 110.00 mph to 149.99 mph. All Group 2, 3 and 4 classed cars 149.99 mph and slower.</p> <p>As needed, please contact ANDRA Technical for further info. Ph: (08) 8271 5355 Email: technical@andra.com.au</p> <p>Also see General Regulations in the current ANDRA Rulebook.</p>	<p>Clothing: Long sleeve top & full-length trousers as a minimum. Jacket meeting SFI3.2A/5 or FIA8856 recommended. Enclosed shoes and socks as a minimum. No minimum requirement for gloves.</p> <p>Helmet: FIA 8859-2015, FIA 8860-2018 SNELL SA2015, SNELL M2015 SNELL SA2020, SNELL M2020 SFI 31.1, SFI 41.1 AS/NZS 1698:2006 ECE 22.05, ECE 22.06</p> <p>AS/NZS 1698:2006, ECE 22.05, ECE 22.06 – only if 10.500 seconds (1/4 mile) / 6.688 seconds (1/8 mile), or slower.</p> <p>Open faced helmets permitted.</p> <p>Also see General Regulations, Protective Clothing in the current ANDRA Rulebook.</p>

Unmodified* Car is an unmodified Sedan based vehicle (and derivatives such as Coupes, Utilities and Station Wagons etc) **without** factory fitted OEM four-wheel disc brakes and/or OEM driver's airbag. Note, there is no requirement for the vehicle to be street driven, be street registered, or be street registerable.

Unmodified* Modern Car is an unmodified Sedan based vehicle (and derivatives such as Coupes, Utilities and Station Wagons etc) **with** factory fitted OEM four-wheel disc brakes **and** OEM driver's airbags. Note, there is no requirement for the vehicle to be street driven, be street registered, or be street registerable.

Unmodified* means a car with **no** modifications to the floor, rear wheelwells or boot floor, with a standard OEM fixed roof.

Modified relates to modifications to the floor, rear wheelwells* or boot floor and/or any alteration to ADR safety items.

Note that replacing floor panels with like-for-like material (specification and thickness) e.g. for rust repair etc. is not considered as a modification.

Unmodified* Cars without factory fitted OEM four-wheel disc brakes and/or OEM driver's airbag **10.499 seconds (1/4 mile) / 6.687 seconds (1/8 mile)** and quicker.

Unmodified* Modern Cars with factory fitted OEM four-wheel disc brakes and OEM driver's airbags **9.999 seconds (1/4 mile) / 6.368 seconds (1/8 mile)** and quicker.

All Modified Cars, both with or without factory fitted OEM four-wheel disc brakes and/or OEM driver's airbag, **11.999 seconds (1/4 mile) / 7.642 seconds (1/8 mile)** and quicker.

Vehicle Technical Requirements	Personal Protective Equipment
<p>Technical Inspection & Vehicle Logbook: Required. Please contact ANDRA Technical for further info. Ph: (08) 8271 5355 Email: technical@andra.com.au</p> <p>Rollcage: Required. https://www.andra.com.au/technical/technicaldocumentation/</p> <p>Seatbelt / Harness: Required. 4-point to AS E35, AS/NZS 2596, ECE R16, FIA 8854/98, SFI 16.1 or FIA 8853 as a minimum for Unmodified Cars and Modified Cars 11.999 seconds (1/4 mile) / 7.642 seconds (1/8 mile) or 110.00 mph to 149.99 mph. Unmodified Modern Cars 9.999 seconds (1/4 mile) / 6.368 seconds (1/8 mile) or 135.00 mph to 149.99 mph. 5-point to SFI 16.1 or FIA 8853, with a minimum shoulder webbing width of 3 inches (75 mm) and minimum of 2 inch (50 mm) wide waist and crotch webbing for all cars 150.00 - 199.99 mph.</p> <p>Race Seat: Required if quicker than 10.000 seconds (1/4 mile) / 6.369 seconds (1/8 mile).</p> <p>Parachute: Compulsory all vehicles exceeding 130 mph (208 kph), or 140 mph (224 kph) where four wheel brakes are fitted.</p> <p>On Board Fire Suppression Systems: Only required for enclosed vehicles 8.000 seconds (1/4 mile) / 5.095 seconds (1/8 mile) and quicker.</p> <p>Also see General Regulations in the current ANDRA Rulebook.</p>	<p>Clothing – Supercharged, Turbocharged, Nitrous Oxide (Power Added) Unmodified Modern Cars and Modified Modern Cars Driver's suit meeting SFI 3.2A/5 or FIA 8856-2000 as a minimum. Shoes/ boots meeting SFI 3.3/5 or FIA 8856-2000 as a minimum. Gloves meeting SFI 3.3/5 or FIA 8856-2000 as a minimum. Balaclava meeting SFI 3.3 or FIA 8856-2000 as a minimum. Socks meeting SFI 3.3 or FIA 8856-2000 recommended, flame resistant mandatory. Underwear meeting SFI 3.3 or FIA 8856 as a minimum.</p> <p>Clothing – Naturally Aspirated Unmodified Modern Cars and Naturally Aspirated Modified Modern Cars: Driver's suit meeting SFI 3.2A/5 or FIA 8856-2000 as a minimum. Shoes/ boots meeting SFI 3.3/5 or FIA 8856-2000 as a minimum. Gloves meeting SFI 3.3/5 or FIA 8856-2000 as a minimum. Balaclava meeting SFI 3.3 or FIA 8856-2000 and underwear meeting SFI 3.3 or FIA 8856 recommended but not mandatory. Socks meeting SFI 3.3 or FIA 8856-2000 recommended, flame resistant mandatory.</p> <p>Helmet: FIA 8859-2015, FIA 8860-2018 SNELL SA2015, SNELL M2015, SNELL SA2020, SNELL M2020 SFI 31.1, SFI 41.1</p> <p>Also see General Regulations, Protective Clothing in the current ANDRA Rulebook.</p>

Unmodified* Car is an unmodified Sedan based vehicle (and derivatives such as Coupes, Utilities and Station Wagons etc) **without** factory fitted OEM four-wheel disc brakes and/or OEM driver's airbag. Note, there is no requirement for the vehicle to be street driven, be street registered, or be street registerable.

Unmodified* Modern Car is an unmodified Sedan based vehicle (and derivatives such as Coupes, Utilities and Station Wagons etc) **with** factory fitted OEM four-wheel disc brakes **and** OEM driver's airbags. Note, there is no requirement for the vehicle to be street driven, be street registered, or be street registerable.

Unmodified* means a car with **no** modifications to the floor, rear wheelwells or boot floor, with a standard OEM fixed roof.

Modified relates to modifications to the floor, rear wheelwells* or boot floor and/or any alteration to ADR safety items.

Note that replacing floor panels with like-for-like material (specification and thickens) e.g. for rust repair etc. is not considered as a modification.

Motorcycles		
E.T.	Technical Requirements	Personal Protective Equipment
<p>10.000 seconds (1/4 mile) / 6.369 seconds (1/8 mile) and slower on a Modified Motorcycle.</p> <p>9.500 seconds (1/4 mile) / 6.050 seconds (1/8 mile) and slower on an Unmodified Motorcycle**.</p>	<p>Technical Inspection: Not Required.</p> <p>No other equipment required if the motorcycle is as manufactured.</p> <p>Also see General Regulations in the current ANDRA Rulebook.</p>	<p>Clothing: Long trousers, a securely fastened leather or material of similar or greater durability jacket, motorcycle road riding gloves (fingerless leather gloves not permitted) and closed footwear as a minimum.</p> <p>Helmet: FIA 8860-2018, SNELL SA2015, SNELL M2015, SNELL SA2020, SNELL M2020, SFI 31.1, SFI 41.1, AS/NZS 1698:2006, ECE 22.05, ECE 22.06.</p> <p>The use of open face helmets on any motorcycle is prohibited. It is recommended that competitors in motorcycle categories wear SNELL M (Motorcycle) rated helmets over SNELL SA (Special Application) rated helmets.</p>
<p>9.999 seconds (1/4 mile) / 6.368 seconds (1/8 mile) and quicker on a Modified Motorcycle.</p> <p>9.499 seconds (1/4 mile) / 6.049 seconds (1/8 mile) and quicker on an Unmodified Motorcycle**.</p>	<p>Technical Inspection: Required.</p> <p>Modified Motorcycles 9.999 seconds (1/4 mile) / 6.368 seconds (1/8 mile) and quicker, Or any motorcycle with a modified swing arm, frame or brakes.</p> <p>Unmodified Production Motorcycles 9.499 seconds (1/4 mile) / 6.049 seconds (1/8 mile) and quicker, Or any motorcycle with a modified swing arm, frame or brakes.</p> <p>Lanyard / Kill Switch: A functional “lanyard” type kill switch must be fitted in addition to the kill switch requirement and be attached to the rider while operating.</p> <p>Also see General Regulations in the current ANDRA Rulebook.</p>	<p>Clothing: Full leather rider’s suit, 1-piece or 2-piece zipped together.</p> <p>Full leathers or material of similar or greater durability that must be of one-piece or two-piece zip together construction and be zipped together.</p> <p>Full leather boots 275 mm height. May use short boots that cover ankles if pants cover top of boots. Elastic sided boots prohibited, lace up or zip up boots minimum.</p> <p>Leather motorcycle riding gloves as a minimum. Gloves with Carbon Fibre or Kevlar knuckling and/or palms are strongly recommended. Gloves and jacket sleeves must overlap when the rider is in the racing position. Fingerless leather gloves not permitted.</p> <p>The wearing of club “colours” in conjunction with leathers or otherwise is expressly forbidden.</p> <p>Helmet: FIA 8860-2018, SNELL SA2015, SNELL M2015, SNELL SA2020, SNELL M2020, SFI 31.1, SFI 41.1, AS/NZS 1698:2006, ECE 22.05, ECE 22.06.</p> <p>The use of open face helmets on any motorcycle is prohibited. It is recommended that competitors in motorcycle categories wear SNELL M (Motorcycle) rated helmets over SNELL SA (Special Application) rated helmets.</p> <p>Also see General Regulations, Protective Clothing in the current ANDRA Rulebook.</p>

****Unmodified Motorcycle:** A motorcycle which is in OEM manufactured specification, excepting minor modifications.

A standard swingarm for the model, forks, brake callipers and road legal tyres must be utilised and the original wheelbase of the motorcycle must be maintained.